

FORM PTO-1449 (Rev. 2-32)		U.S. Department of Commerce Patent and Trademark Office		Atty. Docket No.	Serial No.
 INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)				Sprint 1551 MBHB 00-777	09/842,550
				Applicant: Josh Zerlan et al.	
				Filing Date: 4/25/2001	Group: 2858

U.S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
JK	1	4,022,979	5/10/1977	Smith			
JK	2	4,430,530	2/7/1984	Kandell et al.			
JK	3	5,060,226	10/22/1991	Gewin et al.			
JK	4	5,949,773	9/7/1999	Bhalla et al.			RECEIVED
JK	5	5,953,647	9/14/1999	Patel et al.			AUG 06 2001
JK	6	6,057,943	5/2/2000	Kweon et al.			Technology Center 2600

FOREIGN PATENT DOCUMENTS


	Document Number	Date	Country	Class	Subclass	Translation	Yes	No

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

JK	7	Test Equipment System – M II, Multi Call Generator, February 1, 2001, pages 1-3.
JK	8	NeoPoint, Inc., Engineering Services Measurements Products, PORTABLE MCS, February 1, 2001, pages 1-3.

EXAMINER	Shared Lanfuria	DATE CONSIDERED	3/17/4
----------	-----------------	-----------------	--------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.



OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.).

SK	9	NeoPoint, Inc., Engineering Services Measurements Products, PROACT PLUS VERSION 1.0, February 1, 2001, pages 1-3.
/	10	NeoPoint, Inc., Engineering Services Measurements Products, DATALOGGER™ VERSION 2.0, February 1, 2001, pages 1-3.
/	11	NeoPoint, Inc., Engineering Services Measurements Products, Measurement Products, February 1, 2001, page 1.

EXAMINER

Sharad Rambwaria

DATE CONSIDERED

3/17/04

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication.